

Data sheet
BFD SK12



GENERAL

Art. no.:	L-0128-1,5	E-class number:	40-02-01-04
EAN:	4030281001904	Customs no.:	56090000
Standard:	EN 354:2010 EN 355:2002		

Data sheet

BFD SK12

The BFD SK12 is a lanyard with one FS 90 ST karabiner on the attachment point side and one FS 51 ST on the harness side. The strap fall absorber reduces the fall energy in case of a fall to a level that is compatible with the body.

FEATURES

Colour:	white / black / orange
Fall indicator	
Diameter:	12,00 mm
Hand-washing:	40 °C
Max. service life:	10 Years
Max. number of persons:	1
Temperature:	from 45 °C to -35 °C
Suspension element:	KM12
Area of application:	Confined Spaces

DIMENSIONS

Size:	1,5m
Weight:	1,30 kg

HARDWARE

Carabiner on anchoring point side:

FS 90 ST

Carabiner on belt side: FS 51 ST

MATERIAL

Material: Polyamide, Steel

Rope material: Polyamide

Data sheet
BFD SK12



GENERAL

Art. no.:	L-0128-2
EAN:	4030281001911
Standard:	EN 354:2010 EN 355:2002

E-class number:	40-02-01-04
Customs no.:	56090000

Data sheet
BFD SK12

FEATURES

Colour:	white / black / orange
Fall indicator	
Diameter:	12,00 mm
Hand-washing:	40 °C
Max. service life:	10 Years
Max. number of persons:	1
Temperature:	from 45 °C to -35 °C
Suspension element:	KM12

DIMENSIONS

Size:	2m
Weight:	1,34 kg

HARDWARE

Carabiner on anchoring point side:

FS 90 ST

Carabiner on belt side: FS 51 ST

MATERIAL

Material: Polyamide, Steel

Rope material: Polyamide
