



PROTECTA® LANYARDS

PROVEN RELIABILITY JOB AFTER JOB



TRUSTED FALL PROTECTION

INTRODUCING THE NEW EXPANDED AND ENHANCED SHOCK ABSORBING LANYARD RANGE FROM PROTECTA®. A MODEL FOR EVERY USER IN EVERY APPLICATION. NOW FEATURING MODELS DESIGNED FOR USERS EXPOSED TO FALLS OVER OR AROUND EDGES.

Pro™ Stretch



Sanhoc™ Kernmantle Rope



Sanhoc™ Webbing



Edge Tested Lanyards





Edge Tested Lanyards

Daily, thousands of people working at height are exposed to falls over or around edges. Those working on electrical pylons, steel fabrications, scaffolding, flat roof structures or telecoms towers today may be using shock absorbing lanyards that are not durable enough to withstand a fall across such a structure.

Protecta®'s answer to this is our new range of lanyards, designed to offer greater security to users exposed to falls over or around edges and tested rigorously over a 0.5mm radius edge.

All edge tested products in the Protecta® range are differentiated from Protecta® standard shock absorbing lanyards and bear the Edge tested logo.



NEW! Edge Tested Pro™ Stretch Lanyards

- Tested over a 0.5mm Radius edge
- Enhanced protection for workers exposed to working over edges
- Two layers of tube webbing offer exceptional product life & durability
- Available with Twist Lock or Triple Lock carabineer body connector for even greater security
- Differentiated from standard Pro Stretch lanyards by orange edging to label pouch and black striped tube webbing
- Various connectors are available depending on the needs of the user ranging from standard carabiners to large opening scaffold hooks.



CE EN355	↔	🔗			🔗			kg	⚠️
		🔗	🔗	⊙	🔗	🔗	⊙		
AE5220SBB/SE	2.00m	🔗	18mm	⊙	🔗	18mm	⊙	0.79	▪
AE5220SBK/SE	2.00m	🔗	18mm	⊙	🔗	60mm	⊙	1.08	▪
AE5220SYK/SE	2.00m	🔗	22mm	⊙	🔗	60mm	⊙	1.08	▪

Pro™ Stretch Lanyards

- Built in energy absorber – no bulky shock pack
- Elasticated tube web reduces trip hazard & damage through abrasion
- Identification labels protected from damage or removal
- Activation indicator easily identifies a deployed lanyard



CE EN355	↔	🔗			🔗			kg
		🔗	🔗	⊙	🔗	🔗	⊙	
AE5215SAA	1.50m	🔗	17mm	⊙	🔗	17mm	⊙	0.63
AE5215SAE	1.50m	🔗	17mm	⊙	🔗	17mm	⊙	0.71
AE5215SAF	1.50m	🔗	17mm	⊙	🔗	50mm	⊙	0.97
AE5215SAK	1.50m	🔗	17mm	⊙	🔗	60mm	⊙	0.91
AE5215SEF	1.50m	🔗	17mm	⊙	🔗	50mm	⊙	1.05
AE52175SAF	1.75m	🔗	17mm	⊙	🔗	50mm	⊙	1.03
AE5220SAA	2.00m	🔗	17mm	⊙	🔗	17mm	⊙	0.74
AE5220SAE	2.00m	🔗	17mm	⊙	🔗	17mm	⊙	0.82
AE5220SAF	2.00m	🔗	17mm	⊙	🔗	50mm	⊙	1.09
AE5220SAK	2.00m	🔗	17mm	⊙	🔗	60mm	⊙	1.03
AE5220SEF	2.00m	🔗	17mm	⊙	🔗	50mm	⊙	1.17

NEW! Edge Tested Sanchoc™ Kernmantle Rope Lanyards

- Tested over a 0.5mm Radius edge
- Enhanced protection for workers exposed to working over edges
- 12.5mm Kernmantle rope offers exceptional durability and product life
- Available with Twist Lock carabineer body connector for even greater security
- Differentiated from standard Sanchoc kernmantle rope lanyards by Orange colour yarn



CE EN355	↔	🔗	👤	🔗			🔗			kg	⚠️
				🔗	🔗	○	🔗	🔗	○		
AE5220REK/SE	2.00m		1	🔗	17mm	Ⓢ	🔗	60mm	Ⓐ	1.20	■
AE5315REK/SE	1.50m	■	2	🔗	17mm	Ⓢ	🔗	60mm	Ⓐ	1.70	■
AE5220RBB/SE	2.00m		1	🔗	18mm	Ⓢ	🔗	18mm	Ⓢ	0.90	■
AE5220RBK/SE	2.00m		1	🔗	18mm	Ⓢ	🔗	60mm	Ⓐ	1.40	■

Sanchoc™ Kernmantle Rope Lanyards

- 10.5mm diameter kernmantle rope leg material
- Rope terminations sewn with high strength polyester thread
- Identification labels protected within transparent shock pack cover
- Wide range of designs and connector options available



CE EN355	↔	🔗	👤	🔗			🔗			kg
				🔗	🔗	○	🔗	🔗	○	
AE522/13	1.50m		1	🔗	17mm	Ⓢ	🔗	17mm	Ⓢ	0.85
AE522/15	1.50m		1	🔗	17mm	Ⓢ	🔗	50mm	Ⓢ	1.13
AE522/1	1.50m		1	🔗	17mm	Ⓢ	🔗	17mm	Ⓢ	0.77
AE522	2.00m		1	🔗	17mm	Ⓢ	🔗	17mm	Ⓢ	0.85
AE522/3	2.00m		1	🔗	17mm	Ⓢ	🔗	17mm	Ⓢ	0.88
AE522/5	2.00m		1	🔗	17mm	Ⓢ	🔗	50mm	Ⓢ	1.16
AE522/6	2.00m		1	🔗	17mm	Ⓢ	🔗	50mm	Ⓢ	1.10
AE525	Adj. 2.00m		1	🔗	17mm	Ⓢ	🔗	17mm	Ⓢ	0.86
AE525/1	Adj. 2.00m		1	🔗	17mm	Ⓢ	🔗	50mm	Ⓢ	1.22
AE5310RAK	1.00m	■	2	🔗	17mm	Ⓢ	🔗	60mm	Ⓐ	1.60
AE532/31	1.30m	■	2	🔗	17mm	Ⓢ	🔗	50mm	Ⓢ	1.75
AE532/2	1.50m	■	2	🔗			🔗			0.53
AE532/1	1.80m	■	2	🔗	17mm	Ⓢ	🔗	50mm	Ⓢ	1.75
AE532/3	1.80m	■	2	🔗	17mm	Ⓢ	🔗	50mm	Ⓢ	1.73



Sanchoc™ Webbing Lanyards

- Supple & flexible webbing offers great ease of use
- Highly abrasion resistant webbing with 25mm & 45mm width options
- Terminations sewn with high strength polyester thread
- Identification labels protected within transparent shock pack cover
- Wide range of designs and connector options available

CE EN355					🔗			🔑			kg
	↔	🔗	🔗↔	🔗	🔗	🔗	🔗	🔗	🔗	🔗	
AE5220WAA	2.00m		25mm	1	🔗	17mm	Ⓢ	🔗	17mm	Ⓢ	0.76
AE5220WAE	2.00m		25mm	1	🔗	17mm	Ⓢ	🔗	17mm	Ⓢ	0.81
AE5220WAF	2.00m		25mm	1	🔗	17mm	Ⓢ	🔗	50mm	Ⓢ	1.10
AE529/1	1.50m		45mm	1	🔗	17mm	Ⓢ	🔗	17mm	Ⓢ	0.73
AE529/61	1.50m		45mm	1	🔗	17mm	Ⓢ	🔗	50mm	Ⓢ	1.00
AE529	2.00m		45mm	1	🔗	17mm	Ⓢ	🔗	17mm	Ⓢ	0.77
AE529/6	2.00m		45mm	1	🔗	17mm	Ⓢ	🔗	50mm	Ⓢ	1.75
AE5315WAA	1.50m	■	25mm	2	🔗	17mm	Ⓢ	🔗	17mm	Ⓢ	0.98
AE5315WAF	1.50m	■	25mm	2	🔗	17mm	Ⓢ	🔗	50mm	Ⓢ	1.70
AE5320WAA	2.00m	■	25mm	2	🔗	17mm	Ⓢ	🔗	17mm	Ⓢ	0.98
AE5320WAE	2.00m	■	25mm	2	🔗	17mm	Ⓢ	🔗	17mm	Ⓢ	1.17
AE5320WAF	2.00m	■	25mm	2	🔗	17mm	Ⓢ	🔗	50mm	Ⓢ	1.80

Lanyard Icon Key

We have created a number of icons in order to easily communicate the features and benefits of the products. Please see the key below for further details.

General



Dimension



Diameter



Kilogrammes



Certification

Type



Material: Aluminium



Material: Steel

Lanyards



Lanyard



Twin Leg



Carabiner



Screw Carabiner



Twist Lock



Triple Lock



Connector:
Lanyard End



Connector:
User End



Scaffold Hook



Snap Hook

capital

S A F E T Y

EUROPE, MIDDLE EAST & AFRICA

France

Le Broc Center
Z.I. 1re Avenue – BP15
06511 Carros Le Broc Cedex
FRANCE

t: +33 (0)4 97 10 00 10
f: +33 (0)4 93 08 79 70

United Kingdom

5a Merse Road
North Moons Moat
Redditch, Worcestershire
B98 9HL UK

t: +44 (0) 1527 548 000
f: +44 (0) 1527 591 000

Dubai

ME Branch Office
PO Box 17789
JAFZA, Dubai – U.A.E

t: 00 800 999 55500
f: +33 (0)4 93 08 79 70

Germany

Hagener Strasse 44, D-57489,
Drolshagen,
Germany

t: +49 (0) 2 76 18 33 82 29
f: +33 (0)4 93 08 79 70

CUSTOMER SERVICES

☎ 00 800 999 55500

information@capitalsafety.com
www.capitalsafety.com

GLOBAL LEADER IN FALL PROTECTION

Capital Safety is one of the world's leading manufacturers of fall protection and rescue equipment, with decades of experience and a legacy of innovation.

We understand the industries we serve and listen to the workers in the field. We employ the best engineers to create innovative solutions and patent the products that keep workers safe at heights around the world. Capital Safety has the best quality and largest range of fall protection products in the industry. But we're more than a product company.

We take an innovative approach in bringing our products to the field. We have created international partnerships and a vast network of authorized distributors, certified installers and service centres. We offer on-site and in-house training.

Look for complete solutions in our extensive line of DBI-SALA® and Protecta® products.

All rights reserved. The material contained herein is copyrighted; no part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise without prior written permission from Capital Safety.



Ref: 9700823